

# Material Safety Data Sheet

# ITENA, PreventSeal

# 1. Chemical product and company identification

Product Name: PreventSeal, Self -etching light cured pit & fissures sealant

Manufacturer: ITENA CLINICAL 83, Avenue Foch 75116 Paris –France

Tel: +33 1 45 91 30 06 - Fax: + 33 1 45 91 61 31

## 2. Composition / Information of Hazardous Ingredients

Hazardous Ingredients	CAS#	Hazard Identification & Risk Phrases
Urethandimethacrylate oligomer	72869-86-4	Xi, R36/37/38
Triethyleneglycoldimethacrylate	109-16-0	Xi
Methacrylated phosphoric acid esters	32435-46-4	Xi, R/36/38-43
4-methacryloxyethyltrimellitic acid	70293-55-9	Xn; Xi; R22-36/38-43
Photoinitiators	10373-78-1 10287-53-3	Xi, R36/37/38 N/E
Barium aluminoborosilicate glass	65997-17-3	N/E

<sup>✓ &</sup>lt;u>Additional information:</u> For the wording of the listed risk phrases refer to section 16.

## **3. Hazards Identification** Xi Irritant

Acute Health Hazards: May cause eye, respiratory and skin irritation.

**Chronic Health Hazards:** Material is not known to cause significant health problems.

Signs and Symptoms of Exposure: High concentrations can cause eye and respiratory irritation. Prolonged skin

exposure can cause dryness.

Primary Routes of Exposure: Inhalation, skin contact, eye contact.

**Carcinogenicity:** NTP – no, OSHA – no, IARC – no.

# 4. First Aid Measures in Cause of Inhalation

If irritation occurs, take victim to open air.

In case of skin contact: wash with soap and water.

**In case of eye contact:** Flush with large quantities of water for 15 minutes.

Consult a physician.

In case of ingestion: Consult a physician.

#### 5. Fire-Fighting Measures

Flashpoint: N/A

Extinguishing Media: Carbon dioxide, water spray, foam or dry chemical.

**Special Fire Fighting Procedures:** Avoid a direct jet of water.

Unusual Fire and Explosion Hazards: None.

## 6. Accidental Release Measures

**Environmental Precautions:** Avoid seepage into suvers and water supplies. **Clean-Up Procedure:** Contain spill and pick up material with a suitable absorbent material. Place absorbent into a container for later disposal. Clean spill area with detergent and water.

PreventSeal Revision C Date de révision: 10 01 2012 Page 1/4



# 7. Handling and Storage

Handling: No special measures necessary if handled according to instructions

**Storage:** Keep container tightly closed when not in use. Store in a cool, dry location. Keep material in original packaging.

## 8. Exposure Controls/ Personal Protection

**Exposure Controls:** Use only in well ventilated areas.

Hand and Skin Protection: Avoid unnecessary skin contact. Wear latex gloves

when handling.

Hygiene Measures: Remove spilled material from skin and clothing. Do not

eat or drink when handling this material.

# 9. Physical and Chemical Properties

**Appearance:** White paste. **Odor:** Specific odor. **Boling Point/ Range:** N/A

Evaporation Bate (water = 1): N/A Vapor Density (Air = 1): N/A Solubility in Water: Insoluble

## 10. Stability and Reactivity

Stability: This material is stable.

Hazardous Reactions: None if handled according to directions

**Hazardous Polymerization:** May occur. **Conditions to Avoid:** Heat; UV-light.

Incompatibility: Free radicals, reducing agents, heavy metal ions.

**Hazardous Decomposition Products:** Carbon dioxide, carbon monoxide, acrylic decomposition products, depending on conditions of heating and

burning.

## 11. Toxicological Information

**Acute oral toxicity:** LD50 (rat) > 5000 mg/kg

Irritation of Skin: Dryness and Irritation possible upon prolonged exposure.

Allergic Effects: Methacrylate sensitive individuals may exhibit an allergic reaction.

## 12. Ecological Information

Do not discharge into suvers or water supplies.

 ${\bf Environmental\ persistence\ and\ degradability:\ No\ data\ available.}$ 

Ecotoxicity: No data available.

# 13. <u>Disposal Considerations</u>

May be disposed of in landfill or incinerator In accordance with local, state and federal regulations.

# 14. Transport Information

14.1 Transport at land ADR RID

UN Number Kemler Number

Packing Group Proper shipping name

14.2 Transport at sea ADNR IMDG

UN Number

PreventSeal Revision C Date de révision: 10 01 2012 Page 2/4



EMS MFAG

Packing Group

Proper shipping name

14.3 Air transport ICAO / IATA-DGR

UN Number

Proper shipping name

Subsidiary Risk

Labels

Packing Group

U.S. DOT Shipping Name: Not Regulated

U.S. DOT Hazard Class: None U.N./N.A. Number: None U.S. Dot Packing Group: None

Other: Not considered hazardous cargo.

# 15. Regulatory Information

This product requires classification according to the criteria of EC. The product is a medical device according to the EC-directive 93/42.

15.1 UN Number -

15.2 National regulations

15.3 EU number

15.4 Hazard symbols



15.5 Hazard designation

15.6 Risk phrases

Xi: Irritant. Contains 4-Methacryloxyethyltrimellitic acid.

R: 22, 36, 37/38, 43

22 Harmful if swallowed.

36 Irritating to eyes.

37/38 Irritating to respiratory system and skin.

43 May cause sensitization by skin contact.

15.7 Safety phrases

S: 2, 9, 16, 23, 26, 28, 24/25, 37/39

2 Keep out of the reach of children.

9 Keep container in a well-ventilated place.

16 Keep away from sources of ignition - No smoking.

23 Do not breathe vapour.

26 In case of contact with eyes, rinse immediately with

plenty of water and seek medical advise.

28 After contact with skin, wash immediately with

plenty of water and soap.

24/25 Avoid contact with skin and eyes.

37/39 Wear suitable gloves and eye/face protection.

<u>U.S. – O.S.H.A. Status:</u> This material is not hazardous under the criteria of the U.S. Federal Hazard Communication Standard.

PreventSeal Revision C Date de révision: 10 01 2012 Page 3/4



# 16. Other Information

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall establish a legally valid contractual relationship.

# **Relevant R-phrases**

- 22 Harmful if swallowed.
- 36 Irritating to eyes.
- 37/38 Irritating to respiratory system and skin.
- 43 May cause sensitisation by skin contact.

Xn Harmful.

Material should be maintained in original containers. Empty containers should not be re-used.

# AN SI / NFPA 704 DATA

Fire = 1 Health = 1

Reactivity = 1 Specific

This information is based on data considered accurate. However, no warranty is expressed or implied regarding the accuracy of these data, or the results to be obtained from use thereof. In no event will the manufacturer or distributor be responsible for damages of any nature whatsoever resulting from the use of, or reliance upon this information. General properties described herein are to be regarded as guides and are not guaranteed for all samples.

PreventSeal Revision C Date de révision: 10 01 2012 Page 4/4