

Page 1/6

### Material Safety Data Sheet acc. to OSHA HCS

Printing date 01/10/2014

Reviewed on 01/10/2014

Tel.: 0800 4372522

#### 1 Identification

- · Product identifier
  - · Trade name: Gluma Desensitizer
  - · Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.
    - · Application of the substance / the preparation For desensitisation of teeth
- · Details of the supplier of the safety data sheet
  - Manufacturer/Supplier:

Heraeus Kulzer GmbH

Grüner Weg 11, D-63450 Hanau

· Information department:

Marc Henn

Tel. +1 (574) 2995444 / Fax: +1 (574) 2912542

e-mail: marc.henn@kulzer-dental.com

Emergency telephone number:

Emergency CONTACT (24-Hour-Number)
GBK/Infotrac ID 105860: (domestic) 1 800 535 5053 or international (001) 352 323 3500

### 2 Hazard(s) identification

- · Classification of the substance or mixture
  - Classification according to Directive 67/548/EEC or Directive 1999/45/EC

Xn; Harmful

R20/22: Harmful by inhalation and if swallowed.

Xi: Irritant

R37/38-41-42/43: Irritating to respiratory system and skin. Risk of serious damage to eyes. May cause sensitization by inhalation and skin contact.

· Information concerning particular hazards for human and environment: The product has to be labelled due to the calculation procedure of the "General Classification

quideline for preparations of the EU" in the latest valid version. Classification system:

The classification was made according to the latest editions of the EU-lists, and expanded upon from company and literature data.

- · Label elements
  - Labelling according to EU guidelines:

The product has been classified and marked in accordance with EU Directives / Ordinance on Hazardous Materials

· Code letter and hazard designation of product:



Xn Harmful

· Hazard-determining components of labeling:

2-hydroxyethyl methacrylate glutaral

· Risk phrases:

20/22 Harmful by inhalation and if swallowed.

37/38 Irritating to respiratory system and skin. Risk of serious damage to eyes.

42/43 May cause sensitization by inhalation and skin contact.

· Safety phrases:

Keep container in a well-ventilated place.

(Contd. on page 2)



Page 2/6

# Material Safety Data Sheet acc. to OSHA HCS

Printing date 01/10/2014 Reviewed on 01/10/2014

## Trade name: Gluma Desensitizer

(Contd. of page 1)

- 23 Do not breathe gas/fumes/vapour/spray.
- 24 Avoid contact with skin.
- In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.
- 37/39 Wear suitable gloves and eye/face protection.
- In case of accident or if you feel unwell, seek medical advice immediately.
- · Classification system
  - NFPA ratings for USA (scale 0-4)



Health = 2 Fire = 0 Reactivity = 0

· HMIS-Ratings (Scale 0-4)



Health = \*2 Fire = 0 Reactivity = 0

· Other hazards -

## 3 Composition/information on ingredients

- · Chemical characterization: Mixtures
  - · Description: -

· Dangerous components:		
868-77-9 2-hydroxyethyl methacrylate	Xi R36/38-43	25-50%
111-30-8 glutaral	T R23/25; C R34; Xi R42/43; N R50	5-10%

· Additional information For the wording of the listed risk phrases refer to section 16.

#### 4 First-aid measures

- · Description of first aid measures
  - General information

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

- · After skin contact Immediately wash with water and soap and rinse thoroughly.
- · After eye contact

Rinse opened eye for several minutes under running water. Then consult a doctor.

- · After swallowing Immediately call a doctor.
- · Information for doctor
  - · Most important symptoms and effects, both acute and delayed No further relevant information available.
  - Indication of any immediate medical attention and special treatment needed No further relevant information available.

### 5 Fire-fighting measures

- · Extinguishing media
  - Suitable extinguishing agents

CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

Special hazards arising from the substance or mixture

Formation of toxic gases is possible during heating or in case of fire.

(Contd. on page 3)



Page 3/6

# Material Safety Data Sheet acc. to OSHA HCS

Printing date 01/10/2014 Reviewed on 01/10/2014

## Trade name: Gluma Desensitizer

(Contd. of page 2)

- · Advice for firefighters
  - · Protective equipment: Mount respiratory protective device.
- · Additional information -

### 6 Accidental release measures

- · Personal precautions, protective equipment and emergency procedures Not required.
- Environmental precautions: No special measures required.
- Methods and material for containment and cleaning up:

Absorb with liquid binding material (diatomite, universal binders, for small amounts tissues).

Dispose contaminated material as waste according to item 13. Send for recovery or disposal in suitable receptacles.

· Reference to other sections

See Section 13 for disposal information.

See Section 8 for information on personal protection equipment.

\_

## 7 Handling and storage

- · Handling
  - · Precautions for safe handling

Keep receptacles tightly sealed.

Wear protective equipment. Keep unprotected persons away.

Ensure good ventilation/exhaustion at the workplace.

- · Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities
  - Storage
    - Requirements to be met by storerooms and receptacles: No special requirements.
    - Information about storage in one common storage facility: Not required.
    - · Further information about storage conditions: None.
- · Specific end use(s) No further relevant information available.

#### 8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see item 7.
- · Control parameters
  - · Components with limit values that require monitoring at the workplace:

#### 111-30-8 glutaral

REL () Short-term value: C 0.8 mg/m³, C 0.2 ppm

TLV () | Short-term value: C 0.2 mg/m³, C 0.05 ppm

· Additional information: The lists that were valid during the creation were used as basis.

- · Exposure controls
  - Personal protective equipment
    - General protective and hygienic measures

Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

Breathing equipment:

Not necessary with efficient local exhaust. If exposition to vapours is possible, use breathing protective mask (filter A).

(Contd. on page 4)



Page 4/6

# Material Safety Data Sheet acc. to OSHA HCS

Printing date 01/10/2014 Reviewed on 01/10/2014

## Trade name: Gluma Desensitizer

(Contd. of page 3)

#### · Protection of hands:

If skin contact cannot be avoided, protective gloves are recommended to avoid possible sensitization.

Solvent resistant gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

- · For the permanent contact of a maximum of 15 minutes gloves made of the following materials are suitable:
  Butyl rubber, BR
- · Eye protection:

Before use, put on the protective goggles and cover the patient's eyes to protect against splashes of material.

· Body protection: Light weight protective clothing

9 Physical and chemical properties			
Information on basic physical and chemical properties General Information Appearance:			
· Form: · Color:	Fluid Colorless		
· Odor:	Aromatic		
· pH-value at 20 °C (68 °F):	4.0		
· Change in condition · Melting point/Melting range · Boiling point/Boiling range			
· Flash point:	Not applicable		
· Ignition temperature:	230.0 °C (446 °F)		
· Auto igniting:	Product is not selfigniting.		
· Danger of explosion:	Product does not present an explosion hazard.		
· <b>Vapor pressure at 20 °C (68 °F):</b> 23 hPa (17 mm Hg)			
· Density at 20 °C (68 °F):	1.16 g/cm³ (9.68 lbs/gal)		
Solubility in / Miscibility with Water:	Not miscible or difficult to mix		
Solvent content: Water: Other information	58.8 % No further relevant information available.		

USA -



Page 5/6

# Material Safety Data Sheet acc. to OSHA HCS

Printing date 01/10/2014 Reviewed on 01/10/2014

Trade name: Gluma Desensitizer

(Contd. of page 4)

## 10 Stability and reactivity

- · Possibility of hazardous reactions No dangerous reactions known
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: none

## 11 Toxicological information

- · Information on toxicological effects
  - · Acute toxicity:
    - · LD/LC50 values that are relevant for classification:

Oral LD50 > 2000 mg/kg (rat)

- · Primary irritant effect:
  - · on the skin: Irritant to skin and mucous membranes.
  - on the eye: Strong irritant with the danger of severe eye injury.
- Sensitization:

Sensitization possible through inhalation.

Sensitization possible through skin contact.

· Additional toxicological information:

Harmful

Irritant

- · Carcinogenic categories
  - · IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

· NTP (National Toxicology Program)

None of the ingredients is listed.

## 12 Ecological information

- · Toxicity
  - · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
  - · Bioaccumulative potential No further relevant information available.
  - · Mobility in soil No further relevant information available.
- · Additional ecological information:
  - · General notes:

Do not allow product to reach ground water, water course or sewage system, even in small quantities.

Danger to drinking water if even extremely small quantities leak into the ground.

· Other adverse effects No further relevant information available.

## 13 Disposal considerations

- · Waste treatment methods
  - · Recommendation

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

(Contd. on page 6)



Page 6/6

# Material Safety Data Sheet acc. to OSHA HCS

Printing date 01/10/2014 Reviewed on 01/10/2014

Trade name: Gluma Desensitizer

(Contd. of page 5)

· Uncleaned packagings:

· Recommendation: Disposal must be made according to official regulations.

14 Transport information		
· UN-Number · DOT, ADR, ADN, IMDG, IATA	Void	
UN proper shipping name DOT, ADR, ADN, IMDG, IATA	Void	
· Transport hazard class(es)		
DOT, ADR, ADN, IMDG, IATA Class	Void	
· Packing group · DOT, ADR, IMDG, IATA	Void	
· Environmental hazards: · Marine pollutant:	No	
· Special precautions for user	Not applicable.	
· Transport in bulk according to Annex MARPOL73/78 and the IBC Code	II of Not applicable.	
· Transport/Additional information:	-	

### 15 Regulatory information

· Safety, health and environmental regulations/legislation specific for the substance or mixture

· SARA Section 355 (extremely hazardous substances)

None of the ingredients is listed.

· Cancerogenity categories

· TLV (Threshold Limit Value established by ACGIH)

111-30-8 glutaral

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

#### 16 Other information

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases

R23/25 Toxic by inhalation and if swallowed.

R34 Causes burns.

R36/38 Irritating to eyes and skin.

R42/43 May cause sensitization by inhalation and skin contact.

R43 May cause sensitization by skin contact.

R50 Very toxic to aquatic organisms.

\* Data compared to the previous version altered.

USA

Α4